

INDEX MAPS.

T. 36N, R. 2W. 2nd Mer.

Meanders 290

					265		266		266			
	6		5		4	280	3	275	2	271	1	265
			289		284-280		280		275		270	
	7	289	8	283	9	279	10	275	11	270	12	264
	289		288		283		279		274		269	
	18	288	17	282	16	279	15	274	14	269	13	264
	288		287		282		278		273		269	
266	19	287	20	282	21	278	22	273	23	268	24	263
	286		286		281		277		272		268	
266	30	286	29	281	28	277	27	272	26	267	25	263
	285		284		281		276		271		267	
266	31	284	32	280	33	276	34	271	35	267	36	263
	262		262		261		261		261		261	

T. 37N, R. 2W. 2nd Mer.

Meanders 324

				302		302		301		301		300		300
6	319	5	315	4	311	3	308	2	305	1	298			
	319		319		315		312		308		305			
7	320	8	316	9	312	10	308	11	306	12	298			
	320		320		316		312		309		306			
18	321	17	316	16	313	15	309	14	306	13	299			
	322		321		317		313		309		306			
19	322	20	317	21	314	22	310	23	306	24	299			
	323		322		318		314		310		307			
30	323	29	318	28	314	27	310	26	307	25	299			
	323		323		318		314		311		307			
31		32		33		34		35		36				
					330		329		328		297			
						296		296		297				

The figures on the lines refer to the page.

261

Township 36 North Range 3 West, 2^d Mer. 2^d 4.

Co. Lo. South Boundary. (Var. 7° 58' E.)

West On the S. side of sec 36

40.00 Set the 2^d, res. cor. post from which
a 2 Oak 10 in dia. bears N 1/4 W 93 1/2 1/4
+ a Do 10 " " " N 1/4 W 8 1/2 " "

75.00 Entered a willow thicket

80.00 Set a post cor. to sec. 35 & 36,
a Willow 3 in dia. bears N 44 W 11 1/2 1/4, with
+ an Aspen 3 " " " N 29 1/2 E 19 " "
Land is level & 1st rate & the timber
is Oak & —

West On the S. side of sec. 35.

5.00 Entered a wet prairie

12.00 Entered Oak land

40.00 Set the gr. res. cor. post from which
a 10 Oak 18 in dia. bears N 68 E 40 1/2 1/4,
+ a Do 10 " " " N 48 W 44 " "

80.00 Set a post cor. to sec. 34 & 35 from wh,
a Hickory 10 in dia. bears N 20 E 8 1/2 1/4, with
+ a Do 10 " " " N 63 W 30 " "
Land is rolling & 1st rate & the timber
is Hickory, Bur, Oak & —

West On the S. side of sec. 34

10.00 Entered a dry prairie

40.00 Set the gr. res. cor. post
mound to be made,

80.00 Set a post cor. to sec. 33 & 34

mound to be raised,
Land rolling & 1st rate some Oak &
Hickory on 1st gr. of a mile,

West On the South side of sec. 33,

T. 36 N. R. 2 W. 2nd. Nov. Ind^a.

6. L. 40.00	Set the Dr. sec. cor. post a mound to be raised -
70.92	Enter Winchell's improvement
80.00	Set a post cor. to sec. 32 & 33 in field a Br. Oak 8 in. dia. bears N 83 $\frac{1}{2}$ W 970 lks no other. Land is level & fine rate dry prairie
Next	On the S. side of sec. 32 -
10.00	Leave improvement & Enter Oak land
40.00	Set the gr. sec. cor. post from wh. a Br. Oak 6 in. dia. bears N 66 W 18 lks. & a Do. 7 " " " N 21 W 96 "
68.97	To a Y. Oak 10 " " in the line
80.00	Set a post cor. to sec. 31 & 32 a W. Oak 10 in. dia. bears N 48 $\frac{1}{2}$ E 7 lks. & a Y. Oak 18 " " " N 57 W 91. Land level good & the timber is Oak &c.
Next	On the S. side of sec. 31
21.00	To a Brook 15 lks. wide an. S.
40.00	Set the gr. sec. cor. post from wh. a Y. Oak 18 in. dia. bears N 79 E 22 lks. & a W. Oak 10 " " " N 2 W 26 " dia.
75.00	Enter a wet prairie
83.50	To a Brook 18 lks. wide an. S. E.
99.41	To S. E. cor. T. 36 N. R. 3 W & corner of Michigan road lands set post cor. Rs. 35 & 36 N. R. 2 & 3 W. from wh. a Hickory 12 in. dia. bears S 9 E 107 lks. & a Do. 10 " " " N 83 W 93 " Land rolling su? rate & the timber is H & W. Oak, &c. Jan'y. 25. 1834 Surveyed by Clark & Sibley S. D.

263

T. 36 N. R. 2 W. 2nd Mer, Ind. a.

61.00 East Boundary, Var. 6th E,
 North On the E. side of section 36, cov. in mound
 40.00 Set the gr. sec. cor. post in mark
 where raised a mound
 80.00 Set a post cor. sec. 36 & 25 in mark
 where raised a mound
 This mile all marsh mostly covered
 with 1 foot of water over it,

North On the E. side of sec. 25
 16.00 To point of land thick from E,
 23.50 Leave the do,
 37.41 To a Elm Oak 16 in dia. Leave mark
 40.00 Set the gr. sec. cor. post from which
 a R. Oak 15 in dia. bears at 25° W 24 3/4 M,
 & a Do. 16 " " " S 29° W 21 1/2 "
 59.50 To a state road from La Porte to Yellow river
 64.30 To a Hickory 11 in dia. in line, (= cu. E. & E.
 65.50 ~~Enter a mound~~
 80.00 Set a post cor. to sec. 24 & 25, from which
 a R. Oak 16 in dia. bears at 71 1/2° W 38 1/2 M. dia.,
 & a Do. 28 " " " N 78 1/4° W 39 1/4 " "
 Land level bearing good soil & the
 timber is W. & 1/4 Oak & Hickory &c

North On the E. side of sec. 24
 20.00 Leave the marsh or wet prairie,
 line runs within 40 yds of W. side
 22.60 To a R. Oak 18 in dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 14 in dia. bears at 64 1/4° W 99 1/4 M,
 & a Do. 15 " " " N 40° W 50 "
 50.50 To a marsh or wet prairie
 72.50 Leave the do,
 80.00 Set a post cor. to sec. 13 & 24 from wh,

T. 36 N. R. 2 W. 2nd Mer. Ind^a

6. 00	<p> & a B. Oak 14 in. dia. bears N 65° W 36 ft., dist. & a Do. 23 " " " N 45° W 11 " " Land is same as last mile </p>
North	On the E. side of sec. 13,
16.42	To a Hickory 7 in. dia. in the tree,
33.00	Enter a marsh
33.50	To a Brook 5 ft. wide on E,
40.00	Set the gr. sec. cor. post in marsh a W. Oak 14 in. dia. bears N 41° E 413 ft. dist., & a B. Oak 16 " " " N 7½° W 512 " "
43.00	Leave the marsh
71.00	Enter a Do.
80.00	Set a post cor. to sec. 12 NE from which a Red Oak 14 in. dia. bears N 9¼° W 785 ft. dist., & a B. Oak 18 " " " N 21° E 320 " " Land to same as last very thinly timbered mostly Br. Oak & Hickory &c, —
North	On the E. side of sec. 13,
3.00	Leave the marsh
7.50	To an Indian trail on NW & Enter wet wet prairie - bottom, springs, (= deep, rapid)
30.00	To a stream 30 ft. wide (little Saukakee) on SE.
40.00	Set the gr. sec. cor. post from which a B. Oak 14 in. dia. bears N 3° W 80 ft. dist., & a W. Oak 7 " " " N 51° W 170 " "
40.50	Leave the marsh,
79.58	To a W. Oak 20 in. dia. in the tree,
80.00	Set a post cor. to sec. 14 NE from which a W. Oak 16 in. dia. bears N 38° W 28 ft. dist. & & a Do. 14 " " " N 19° W 42 " " Up. land level bearing good soil black timber with Oak & Hickory &c

T. 36 N. R. 2 W. 2nd New Ind^y

C. S.	
North	On the E. side of section 1.
14.90	To a W. Oak 11 in. dia in the line,
27.00	" " Pine swamp
36.00	Leave the " Do, to small stunted pine
40.00	Set the q. sec. cor. post from which a W. Oak 11 in. dia, bears N 68 7/4 W 76 1/2 M. dist, + a Do, 18 " " " N 60 1/2 W 54 " "
68.38	To a W. Oak 12 " " in the line,
80.26	To the township corner, T. 36 & 37 N. R. 1 & 2 W., a W. Oak 12 in dia, bears N 40 1/2 E 2 1/2 M. dist & a Do, 13 " " " N 75 W 8 " "
	Land &c. is similar to last mile, (Var. 6 th E.) Dec. 17, 1833. snowed all day, Surveyed by Clark & Sibley Dep. Supt.

	North Boundary, —
West	On Random on E. side of sec. 36-35 1/2, at rand' Var. of 5 th 40' E. at the end of 3 miles - 4 chs. & 2 M., intersect Michigan road land - measured South 16 chs. to line in said land, between T. 36 & 37 N. — Suspected some mistake & measured North 50.95 M., to old line of boundary, of 10- mile strip, Being satisfied of an error in the road land & that it should not affect the N. S. survey, I went back on my random as follows —
East	On the E. side of sec. 34. T. 37 N. R. 2 W., From mound which I raised at intersection,
20.00	Leave field mostly cultivated
44.02	Set the q. sec. cor. post from which a Br. Oak 8 in. dia, bears N 54 1/4 E 396 M., + a Do. 9 " " " N 47 1/2 E 396 " + a Do. 15 " " " N 14 1/3 E 278 "

T. 36 N. R. 2 W. 2^d Mer. Ind. ^{1^a}

6a E,
50.00 Leave the poor prairie
52.83 To a Br. Oak 14 in. dia. in the line,
69.00 Enter a marsh
84.02 Set a post cor. to sec. 34 & 35 from wh.
a Br. Oak 16 in. dia. bears S 2 $\frac{1}{2}$ W 40 $\frac{1}{2}$ th. dist.
& raised a mound in a marsh,
Land up land rolling & 1st rate E. of prairie
Br. Oak. Marsh not very wet,

East On the S. side of sec. 35. T 37 N. R. 2 W
2.50 To a little Kankakee river 150 th. wide in S.E.,
a mill dam & sawmill nearly completed
on this stream about 4.00 th. S.E. 1/2 mile
22.85 To a W. Oak 14 in. dia. & leave marsh
29.25 To a Br. Oak 14 " " in the line,
40.00 Set the gr. sec. cor. post from which
a Hickory 16 in. dia. bears N 36 $\frac{1}{4}$ W 56 th.,
& a Wash 10 " " " N 73 E 35 "
49.26 To a Spruce 6 " " in the line,
52.81 " " Wash 8 " " " " "
58.50 Leave timbered land & Enter marsh
80.00 Set a post cor. to sec. 35 & 36 from wh.
a W. Oak 18 in. dia. bears N 51 $\frac{1}{2}$ E 52.5 th.,
& raised a mound
Land low & swampy. & the timber much
destroyed by trespassers,

East On the S. side of sec. 36. T 37 N. R. 2 W
6.50 To a Spring, 3 south
11.00 " " Dr. 10 S. W. chalybeate,
15.50 Leave the marsh
34.00 To a Br. Oak 12 in. dia. in the line
40.00 Set the gr. sec. cor. post from which
a Br. Oak 11 in. dia. bears N 80 W 58 th. dist.

T. 36 N. R. 2 W. 2nd. Mer. Ind^a

61.21 La Oak 12 in. dia. bears N 30^o E 55th
 461.33 To a W. Oak 10 " " in the line,
 481.54 " " G. Oak 14 " " " "
 801.00 To town cor., T. 36 & 37. R. 1 & 2 W.,
 upland, hilly good soil wth timbered
 with W & G. Oak & L. (Var. 51.40 E.)
 Dec. 19, 1833 - Surveyed by
 Clark & Sibley Dep. Sur^s

West Boundary.

N. 35^o E On line of Mich. Road lands T. 31 N. R. 2 W
 From S. W. cor. T. 36 N. R. 2 W. 2nd. Mer. Ind^a
 12.50 To Vails creek 25th wide cor. S. E, rapid,
 15.00 Leave the marsh & enter timber
 34.50 To a Hickory 8 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 12 in. dia. bears N 63^o W 30th dia.
 & a Ls. 24 " " " N 42^o E 110 " "
 80.00 Leave timber & cut. prairie set post
 cor. sec. 30 & 31 T. 36 N. R. 2 W from which
 a B. Oak 14 in. dia. bears N 9^o E 95th
 & a Ls. 18 " " " N 29^o E 3.30 "
 Land 1 Sch., S. and marsh & creek bottom
 Run^r, timbered land sandy wth rate
 & the timber is B. Oak, G. Oak W. Oak & Hickory

N. 35^o E On W. side of sec. 30. T. 36 N. R. 2 W
 1.00 Set. cor. Mich. road lands
 40.00 Set the gr. sec. cor. post & Rain mound
 42.46 S. sec. cor. post Mich. Road lands
 80.00 Set post cor. sec. 19 & 30 & Rain mound
 Land smooth dry prairie 1st rate

N. E On W. side of sec 19 T. 36 N. R. 2 W

T. 36 N. R. 2 W. 2nd Mer. Ind.

6 L,
 3.23 To post cor. sec. M. R. Landy
 40.00 Set the gr. sec. cor. post. & raise mound
 44.40 To gr. post of Mich. Road landy
 85.54 To line between sec. 18 & 19 of M. R. L.,
 no mound noted, at Mich. Road landy
 Land smooth dry prairie -
 May 27th 1834. Surveyed by
 Clark & Hiley Sep. 1834.

Subdivisions

North Between sections 35 & 36
 38.00 Raise a bench 6 ft. high
 40.00 Set the gr. sec. cor. too wet to raise mound
 80.00 Set a post cor. to sec. 25, 26, 35 & 36
 & raised a mound. Land marsh 3rd rate

East On Random between sections 25 & 36
 8.25 To a Brook 10 lbs. wide cor. S. E.,
 40.00 Set temporary gr. sec. cor. in water
 80.10 To the E. line of sec. 22 & 28 lbs. S. of post
 Land all marsh & under water

188²⁰ W. corner between sec. 25 & 36
 40.05 Set the gr. sec. cor. post. no mound
 80.10 To the section corner,

North Between sections 25 & 26
 2.60 To a Brook 7 lbs. wide cor. S. E.,
 38.00 Enter 8. Oak canopy
 39.50 To a 2. Oak 20 in. dia., in the line,
 40.00 Set the gr. sec. cor. post. from which
 a 2. Oak 20 in. dia., bears south 50 lbs. dist.
 & a Hickory 12 " " " N 20 W 75 " "
 43.50 Enter a marsh
 69.05 To a Branch 15 lbs. wide cor. S. E.,
 creek?

T. 36 N. R. 2 W. 2nd Mer. Ind. a

61. 21

80.00

Set a post cor. to sec. 23. 24. 25 & 26,
 & raised a mound. Land all marsh
 and third rate,

East On Random between sections 24 & 25

12.00 Entered a Yellow Oak barrens

80.15 To the E. line of sec. at post,
 Land is some rolling & 3^d rate & the
 timber is Y. Oak. W. Oak. Hickory & white,

188.20 W. Correct the line between sec. 24 & 25

8.68 To a Y. Oak 10 in. dia. in the line,

28.00 " " W. Oak 14 " " " "

30.00 " " a Road from Yellow river to LaPort,

38.47 " " Y. Oak 16 in. dia. in the line,

40.07 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears E. 89° 44' 12" S
 & a S. 12 " " " N 78° 44' 12" W

60.07 To a W. Oak 10 " " in the line,

80.15 To the section corner,

North Between sections 23 & 24

1.25 rise a hill 10 ft. high & Enter a Y. Oak barrens

13.50 Descend a hill & Enter a marsh

23.55 Rise a hill 10 ft. & Ent Y. Oak barrens

27.30 To a W. Oak 20 in. dia. in the line,

37.00 Descend a hill & Enter a marsh

40.00 Set the gr. sec. cor. post in cranberry marsh

60.00 Leave the marsh & Enter Oak barrens

61.80 To a Y. Oak 24 in. dia. in the line,

68.02 " " S. 20 " " " " "

80.00 Set a Post cor. to sec. 13 14. 23 & 24

Raised a mound. Land rolling marsh
 & Y. Oak Barrens. May 20th 1834,

T. 36 N. R. 2 W. 2nd Mer. Ind.C. L.
East

On Random between sections 13 & 24
 58.50 Leave marsh rise bluff Y. Oak canopy
 80.25 To the E. line of sec. 10 1/4 mi. et. of post,
 Leave 3/4 marsh - the E 1/4 Y. Oak canopy
 3^d rate sandy in canopy,

S 88° W

Correct the line between sec. 13 & 24
 18.02 To a Hickory 6 in. dia. in the line,
 40.12 1/2 Set the q. sec. cor. post from which
 no bearing?, in marsh - no mound
 80.25 To the section corner,

North

Between sections 13 & 14

39.00 Leave the marsh & ascend a hill, 8 ft. 4 in. Y. Oak.
 40.00 Set the q. sec. cor. post from which
 a G. Oak 22 in. dia. bears N 46° W 35 1/2 mi. dia.,
 & a Do. 22 " " " S 84° E 46 " "
 41.38 To a G. Oak 30 " " in the line,
 80.00 Ent. Canopy & Set Post Cor. to Sec. 11, 12, 13 & 14,
 a Hickory 16 in. dia. bears S 61° W 34 1/2 mi. dia.,
 & a Do. 12 " " " N 24° E 61 " "
 Sand 1/2 nearly all marsh & 1/2 rolling
 sandy. 3^d rate Y. Oak & W. Oak &

East

On Random between sections 12 & 13

7.00 Entered a marsh
 15.00 Leave the Do. & Enter 2. Oak canopy
 62.50 Entered a marsh
 80.45 To the E. line of sec. 45 1/4 mi. et. of post,
 sand all marsh & canopy 2 Oak W Oak &
 Hickory 2 Oak & 3^d rate &

West

Correct the line between sections 13 & 12
 40.22 1/2 Set the 1/4 sec. cor. post, S 88° 18' W,

270

T. 36 N. R. 2 W. 2nd Mer. Ind.

6.50 a Hickory 9 in. dia., bears N 61 W 12 th. dia.,
 & a Br. Oak 12 " " " S 71 E 66 " "
 56.59 To a S. Oak 24 " " in the line,
 80.45 To the section corner,

North Between sections 11 & 12
 9.82 To a Br. Oak 10 in. dia., in the line,
 20.00 Enter a prairie at a Br. Oak 12 in. dia.,
 40.00 Set the gr. sec. cor. post from which
 a Br. Oak 9 in. dia., bears N 60 W 15 th. dia.,
 & a Do. 8 " " " S 88 E 21 " "
 55.70 Enter a field
 80.00 Set a post cor. to sec. 1, 2, 11 & 12
 where raise a mound
 Land on S E is Br. Oak canopy & prairie
 the prairie rolling all 2nd rate

East On Randome between sec. 1 & 12
 30.50 Leave the field
 45.00 Leave prairie & Enter Br. Oak canopy
 62.00 Round a hill 10 ft. & Enter marsh
 67.12 To a Creek 34 in. wide in S. E., which
 is little Hankaker brack current & deep
 70.00 Leave the marsh & Enter timber
 80.37 To the E. line of sec. 44 th. at of post,
 Land W 1/2 level & dry prairie, first rate
 East 1/2 Br. & W. Oak canopy marsh 2nd rate

West Correct the line between sec. 1 & 12. (S 88 E 40' W.)
 4.76 To a W. Oak 12 in. dia., in the line,
 40.18 1/2 Set the gr. sec. cor. post from which
 a Br. Oak 8 in. dia., bears N 33 E 201 th. dia.,
 80.37 To the section corner

T. 36 N. R. 2 W. 2nd. Nw. Ind.

6. S.	
North	Between sections 1 & 2,
15.00	Leave field prairie
20.10	Enter Br. Oaks,
40.00	Set the gr. recs. cor. post from which a Y. Oak 30 in. diam. bears N 81° W 86 ths. dist. + a Hickory 10 " " " N 66° E 90 " "
60.00	Leave timber & Enter marsh
89.64	To a creek 27 ths. wide cr. S. E.
82.22	To the N. boundy, 40 ths. West of post & set post. & found a mound cor. sec. 1 & 2 Land $\frac{1}{2}$ 1 st rate prairie & B. Bar., $\frac{1}{2}$ 1 st rate marsh, land nearly dry enough for cultivation. May 21. 1834

North	Between sections 34 & 35
5.75	Enter a marsh
22.50	Enter Br. Oak barrens
40.00	Set the gr. recs. cor. post from which a B. Oak 10 in. diam. bears — 3° 30' W — 69 ths., + a Loc 10 " " " N 68° W 71 " "
58.80	Enter a field
80.00	Set a post cor. to sec. 26, 27, 34 & 35 in a mound. Find level & some marsh, Hickory & Br. Oak barrens rec? rate, the last $\frac{1}{2}$ 1 st rate B. Oak barrens improved —

East	On Random between sec. 26 & 35,
3.10	Leave field Br. Oak scattering,
41.00	Descend a bank, 10 ft. & Enter marsh,
64.00	Leave the marsh & Enter Y. Oak barrens,
73.25	Enter a marsh,
80.05	To the E. line of sec. 18 ths. S. of post, W $\frac{1}{2}$ rec? rate Br. Oak barrens. $\frac{1}{2}$ is

272

T. 36 N. R. 2 W. 2nd Mer. Ind. ^a,

61.61 mark and 2 Oak Banking & 3rd rate

West Correct the line between sec. 26 & 35. (S 88° 20' W,)
 40.022 set the gr. sec. cor. post from which
 a Y. Oak 22 in. dia. bears N 53 E 77 lbs. dist,
 & a W. Oak 18 " " " S 77° W 80 " "
 54.42 To a W. Oak 6 " " in the line,
 80.022 To the section corner,

North Between sections 26 & 27

25.00 Leave the field,
 34.00 Enter a marsh
 40.00 set the gr. sec. cor. post in marsh no m?
 57.50 Leave the marsh & Enter 4 Oak banking
 61.60 To a Y. Oak 14 in. dia. in the line,
 74.10 " a Br. Oak 12 " " " "
 80.00 set a post cor. to sec. 22, 23, 26 & 27,
 a Red Oak 5 in. dia. bears S 37 W 16½ lbs. dist,
 & a B. Oak 8 " " " N 33 E 32 " "
 Land & ½ first rate level Br. Oak banking
 N ½ same marsh level & sec. rate & the
 timber is B. Oak Hickory, Y. Oak Red root
 & Brakes, &

East On Random between sections 23 & 24

59.50 Enter a marsh
 69.20 To a Branch 12 lbs. on. S. E. rapid,
 71.00 Leave marsh & Ent. Y. Oak banking,
 80.25 To the E. line of sec. 45 lbs. S. of post,
 Land N ½ is level B. Oak banking good
 2nd rate & the E ½ Y. Oak banking Marsh 3rd rate

West Correct the line between sec. 23 & 26. (S 88° 10' W.)
 24.29 To a W. Oak 8 in. dia. in the line,

T. 36 N. R. 2 W 2nd, New, Ind.,

C. L.	
40.12	Set the gr. sec., cor. post from which a Y. Oak 24 in. dia. near W. 11 $\frac{1}{2}$ Ch. dist., + a B. Oak 12 " " " S 10 E 56 " "
44.24	To a Y. Oak 24 " " in the line,
44.04	" a W. Oak 16 " " " " "
59.63	" a B. Oak 8 " " " " "
80.22	" the section corner,

North	Between sections 22 & 23,
5.50	Enter a field
26.12	Leave field & Enter timber
40.00	Set the gr. sec., cor. post from which a Y. Oak 18 in. dia. near S 16 E 20 Ch. dist., + a Hickory 12 in. dia. " N 20 W 62 " "
44.26	To a Y. Oak 24 " " in the line,
57.80	To a B. Oak 10 " " " " "
61.00	" a Hickory 14 " " " " "
73.40	" a Y. Oak 22 " " " " "
78.58	Leave the timber & Enter marsh
80.00	Set a post cor. to sec. 14, 15, 22 & 23, in a marsh & no mound
	Land 2 $\frac{1}{2}$ level & 2 nd rate B. & Y. oaks, N $\frac{1}{2}$ good level & 2 nd rate & the timber is Y. Oak, B. Oak, N $\frac{1}{2}$ good level 2 nd rate & the timber same braks & Red root

East	On Random between sec. 14 & 23,
15.00	Leave marsh & Enter Y. Oak canopy
30.50	Enter a marsh
44.00	Leave marsh & Enter Y. Oak .. do,
46.00	To state Road from La Port to Yellow R.,
72.00	Enter a marsh
80.12	To the E. line of sec. 15 Ch. dist. of post, Land is marsh & Y. Oak canopy 3 rd rate

T. 36 N. R. 2 W. 2nd Mer, Ind^a,

C. L. rolling & sandy. May 22nd 1834 ~

West Correct the line between sec. 14 & 23. (188° 71' W.)
 40.00 Set 1/2 sec. cor. post. wd. a mound
 80.12 To the sections corner,

North Between sections 14 & 15.

9.00 Leave marsh & enter timber,
 20.77 To a Br. Oak 16 in. dia. in the line,
 29.34 " " Br. Oak 12 " " " "
 35.75 " an impassible marsh
 40.00 Set q. sec. cor. post. water deep &
 no bearing near —
 46.30 Leave the marsh
 49.00 To a W. Oak 12 in. dia. in the line,
 55.00 Leave timber & enter dry prairie
 65.00 Enter field
 76.70 Leave the do.
 80.00 Set a post cor. to sec. 10, 11, 14 & 15,
 There raised a mound —
 It is same as last marsh level.
 2nd rate Br. Oak Hickory & W. Oak & the
 1st & 2nd mostly dry & first rate land,

East On Random between sec. 11 & 14

47.05 Enter a field
 28.57 Leave the do.
 60.00 Leave prairie & enter timber
 79.50 To the E. line of sec. 17 th. N. of post,
 Land Wst prairie & 1st rate Est prairie
 & B. Oak Barren & 2nd rate.

West Correct the line between sec. 11 & 14
 2.55 To a Hickory 12 in. dia. in the line,

Co. L₁
 9.21 To a Br. Oak 10 in. dia. in the line,
 11.85 " " Br. Oak 12 " " " "
 12.57 " " Cabin 16 ft. square
 39.75 Set the gr. sec. cor. post & Raine mound
 79.50 To the section corner,

North Between sections 10 & 11

21.50 Enter a marsh
 32.50 Leave the do, dry prairie
 40.00 Set the gr. sec. cor. post & Raine mound
 80.00 Set a post cor. to sec., 2, 3, 10 & 11
 where Raine a mound,
 Land is rolling & mostly dry 2nd rate
 prairie, —

East On Random between sec. 2 & 11

10.00 Enter timbered land
 30.00 To a pond & set post,
 33.50 Leave pond set post
 62.00 Enter a field & prairie
 79.50 To the E. line of sec. at cor,
 Land W $\frac{1}{2}$ is prairie & Br. Oak heavy,
 rolling 3rd rate & E $\frac{1}{2}$ prairie & Br. Oak do,
 Rolling & 2nd rate land

West Correct the line between sec. 2 & 11

15.34 To a Br. Oak 12 in. dia. in the line,
 26.47 " " Br. Oak 8 " " " "
 30.75 " " Do. 12 " " " "
 39.25 Set $\frac{1}{4}$ sec. cor. post, in. Cabin. no bearings,
 42.62 To a Br. Oak 8 in. dia. in the line,
 79.50 " the section corner,

North Between sections 2 & 3.

T 36 N. R. 2 W. 2nd Mer, Ind^a.

6. L,	
28.82	Enter a field
40.00	Set the gr. sec. cor. post from which a Br Oak 3 in. dia. bears N 55 E 236 lks, Ta Do. 10 " " " S 10 W —
47.20	Leave prairie & Enter Br Oak
85.32	To the N. corner, 25 lks. E of post, where set a post & raise a mound Land 1/2 prairie & 3/4 rate. At prairie & Barren. sec. rate & the timber is scatf, & short in the N. E. corner of N. W. of sec. there is a saw mill now in operation the seat is a good one, (May 23, 1834.)
North	Between sections 33 & 34
40.00	Set the gr. sec. cor. post & raise a mound
80.00	Set a post cor. to sec. 29-28, 33 & 34 — Land is all level & first rate. in the prairie rose wood & prairie grass,
East	On Random between sec. 27 & 34
.20	Enter a field
18.30	Leave the Do,
26.00	Enter a marsh
36.50	Leave the Do. & Enter Br Oak timber,
63.70	Enter a field
80.02	To the E. line of sec. at the post, Land 1/2 is prairie & some marsh & scatf. Br Oak & Br. Oak scattering level & first rate red root breaks, & prairie grass,
West	Correct the line between sections 27 & 34
32.08	To a Br Oak 3 in. dia. in the line,
39.04	" " Do. 3 " " " "
40.01	Set the gr. sec. cor. post from which

T. 36 N. R. 2 W. 3rd Mer. Ind^a

6. L. a Br. Oak 9 in. dia. heavy N 2 W 29 $\frac{1}{2}$ M. dia.
 & a Do. 8 " " " N 70 W 56 $\frac{1}{2}$ " "
 80.02 To the section corner,

North Between sections 27 & 28,

20.00 Leave prairie & enter timber
 27.00 To a Br. Oak 8 in. dia. in the line,
 31.78 To a Br. Oak 10 " " " "

40.00 Set the gr. peg, cor. post from which
 a Br. Oak 8 in. dia. heavy N 21 E 17 $\frac{1}{2}$ M. dia.
 & a Do. 12 " " " N 30 W 112 " "

55.32 To a W. Oak 30 " " in the line

68.49 " " Hickory 9 " " " "

69.00 Set post for Stithwell's lake edge of marsh

80.00 Set a post cor. to sec. 15, 16, 21 & 22,
 a Br. Oak, 6 in. dia. heavy N 35 W 8 M. dia.
 & a Hickory 12 " " " N 86 E 36 $\frac{1}{2}$ " "

Land is prairie on 1 $\frac{1}{2}$ & Br. Oak bearing
 first rate level & smooth break, & heavy
 N $\frac{1}{2}$ level & 2nd rate & the timber is Br.
 & W. Oak & E Oak & timber short.

East On Randon between sections 22 & 27
 79.97 To the E. line of sec. 13 M. dia. of post
 Land is level & dry & first rate. & the
 timber is Br. Oak bearing. W $\frac{1}{2}$ is thick
 with some E. Oak & Hickory. E $\frac{1}{2}$ scattering
 Br. Oaks breaks & Red root &

West Correct the line between sec. 22 & 27

12.60 To a Br. Oak 8 in. dia. in the line

39.98 Set the gr. peg, cor. post from which
 a Br. Oak 3 in. dia. heavy N 40 E 24 M. dia.
 & a Do. 22 " " " N 85 $\frac{1}{2}$ W 40 " "

278

T. 36 N. R. 3 W. 2nd New, Ind.,

61.26
 47.39 To a Br. Oak 16 in. dia. in the line,
 56.92 " a Hickory 18 " " " "
 71.44 " " Br. Oak 10 " " " "
 80.00 " the section corner,

North Between sections 21 & 22

41.57 To a Hickory 22 in. dia. in the line,
 13.79 " a Br. Oak 18 " " " "
 35.69 " a G. Oak 24 " " " "
 40.08 Set the q. sec. cor. post from which
 a G. Oak 24 in. dia. bears S 67° W 75 M. dist.
 & a W. Oak 12 " " " S 65° W 75 " "
 41.50 Leave the timber & enter a marsh,
 62.00 Leave the marsh & enter timber
 69.57 To a G. Oak 24 in. dia. in the line,
 80.00 Set the post cor. to sec. 15, 16, 21 & 22,
 a W. Oak 20 in. dia. bears S 77½° E 101½ M.,
 & a scrub. Oak 8 " " " S 35° W 44 "
 Land on S. ½ level & sec. rate & the timber
 is Br & Y, Oak & Hickory. N. ½ level part marsh
 3rd rate G. & W. Oak & —

East On Random between sections 15 & 22

60.00 Enter a marsh
 79.96 To the E. line of sec. 5 the N. of post,
 Land level mostly dry & 3rd rate & the
 timber is G. Oak, W. Oak & Hickory. Whistle
 berry, & Red root used. Gt. & brk weed

West Correct the line between sec. 15 & 22

16.78 To a W. Oak 14 in. dia. (S 88° W)
 27.50 " " Hickory 12 " " in the line
 39.98 Set the q. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 11° E 26 M. dist.

T. 36 N. R. 2 W. 3rd E. NW, Ind.

6. L. & a W. Oak 9 in. dia. leaning NW 29 lbs. dia.
 57.56 To a Hickory 10 in. dia. in the line,
 71.21 " " Do. 9 " " " " "
 77.52 " " W. Oak 21 " " " " "
 79.97 To the sections corner,

North Between sections 15 & 16
 .50 Entered a marsh
 40.00 Set the gr. sur. cor. post too wet for mound
 52.50 Leave the marsh & Enter timbered land
 53.50 To a Hickory 10 in. dia. in the line,
 75.00 Leave timber & Enter prairie
 80.00 Set a post cor. to sec. 9, 10, 15 & 16,
 Land here is all marsh 3rd rate & it is
 B. Oak & Hickory & scattering. Land is
 2nd rate red root brakes &c. May 14th 1834

East On Random between sections 10 & 15
 a little grove of Br. Oaks, &
 80.00 To the E. line of sec. 9 the st. of post,
 W^{1/2} prairie a little rolling & 1st rate &
 E^{1/2} a fine Br. Oak, rolling & 2nd rate

West Correct the line between sec. 10 & 15
 22.49 To a Br. Oak 12 in. dia. in the line,
 40.00 Set the gr. sur. cor. post & raise mound
 80.00 To the sections corner,

North Between sections 9 & 10
 40.00 Set the gr. sur. cor. post raise a mound,
 80.00 Set a post cor. to sec. 9, 10, 15 & 16, where
 raise a mound, all level &
 smooth prairie. Dry fine rate prairie
 weed Red root & prairie grass,

T. 36 N. R. 2 W. 2nd Mer. Ind. 7

C. L. East	On Random between sections 34 & 40 To the E. line of sec. 10 th. N. of path All prairie W ^{1/2} first rate & E ^{1/2} is a little rolling 2 nd rate Robin weed red root grass, & prairie grass. &c
West 40.05 80.10	Correct the line between sections 34 & 40 Set the gr. sec., cor. post & raise a mound To the survey corner,
West 7.56 ^{1/2}	Between sections 4 & 9 To the West boundary, & East boundary, of Mich. Road Land 9.01 th. N. of path cor. of sec. 4 M. R. Land, smooth prairie & first rate land —
N 2 ^{1/2} E 31.40 40.00 71.85 87.79	On line of Mich. Road land E side of section 4. — — (Between sec. 3 & 4) To the 1/4 sec. cor. post of M. R. L. Set the gr. sec., cor. post & raise mound To the sec. cor. of sec. 4 Mich. R. land, To the N. boundary, cor. sec. 3 & 4 — all smooth first rate dry prairie,
North 3.70 17.02 21.14 40.00 47.25 80.00	Between sections 32 & 33 in field, Leave the field To a Br. Oak 7 in. dia. in the line, Enter a field Set the gr. sec., cor. post & raise mound Leave the field, Set a post & raise a mound cor. sec., 28.29. 32 & 33. Land prob 1 st rate prairie robin weed red root grass &c,

T. 36 N. R. 2 W. 2nd Mer. 2nd

6. Le, East	On Random between sec, 28 & 33 To the E. line of sec, 13 th. N. of post,
80.08	
West	Correct the line between sections 28 & 33, Set the gr. sec. cor. post & raise a mound To the sections corner, Land all smooth dry level first rate prairie Rus. weed, Bear & prairie grass,
40.04	
80.08	
North	Between sections 28 & 29
40.00	Set a post cor. post & raise a mound
80.00	Set a post & raise mound cor. sec, 20, 21, 28 & 29. Land level, dry prairie 1 st rate Hazel, red root, rus. weed &c
East	On Random between sec, 21 & 28
7.00	Enter a Hickory grove,
11.00	Leave the " Do,
14.75	Enter a field
38.62	Leave the Do,
46.50	Set mound. post. on the small lake offset E. 13 chs, E 34 chs, sec. line
80.50	" " 13 " to sec. cor, Land on W. $\frac{1}{2}$ dry level & rich prairie through small grove of Hickory, first rate. E $\frac{1}{2}$ is mostly lake, W. side prairie E. timber W. $\frac{1}{2}$ oak timber, & 3 ^d rate
West	Correct the line between sec. 21 & 28,
15.00	To a W. Oak 12 in. dia. in the line,
16.50	Set mound. post. on lake
30.00	Over Lake & set post,
40.25	Set gr. sec. cor. post & raise a mound
80.50	To the sections corner,

T. 36 N. R. 2 W. 2nd Mer Indⁿ

C. L.
North

Between sections 20 & 21

- 30.50 Descend a bank 6 ft. high & cut, mark
40.00 Set the gr. survey, post & raise a mound
50.00 Leave the mound,
60.00 Enter timber
66.40 To a Hickory 6 in. dia. in the line,
80.00 Set a post cor. to sec. 16, 17, 20 & 21, for wh.
a Hickory 16 in. dia. bearing East 34 Ch. Dist.
4 a Do. 10 " " " N 4 1/2 W 23 " "
Land 4 1/2 30 chs. 1st rate prairie,
the balance is marsh & B. Oak scattering
it is level & 2nd rate & the timber is
B. Oak Hickory Red root & Brakes,

East On Random between sections 16 & 21

- 63.00 Leave timber & Enter marsh,
62.00 Leave marsh & Enter a B. Oak grove
containing about 6 acy. surrounded by
marsh
67.75 Enter a marsh
80.30 To the E. line of sec. 7 the N. of post,
Land W. 1/2 sandy soil 2nd rate & the
timber is B. Oak, Hickory & W. Oak 3. Oak
Hazel & Red root & 6 1/2 marsh & 3rd rate

West Correct the line between sec. 16 & 21

- 40.15 Set the gr. survey, post from which
a W. Oak 22 in. dia. bearing S 25 E 26 Ch. Dist.
4 a B. Oak 9 " " " N 18 W 93 " "
41.92 To a B. Oak 18 " " in the line,
80.30 " the section corner,

North Between sections 16 & 17

- 9.24 To a Hickory 16 in. dia. in the line,

T. 36 N. R. 2 W. 2nd, Nov. 2nd,

Co. L, 40.00	Set the gr. sec. cor. post from which Span Oak 6 in. dia. bears S 36° W 40 the dist. to a Spruce 10 " " " N 57° E 68 " "
60.00	Enter a grove of thick timber
65.40	To a W. Oak 8 in. dia. in the line,
68.64	" an Elm 8 " " " " "
75.00	Leave grove & enter prairie field,
80.00	Set a post cor. to sec. 8 & 9. 16 & 17, in field where raise a mound Land 2 nd level & 2 nd rate & the at 2 nd level & 1 st rate & the timber is Span Oak W. Oak Hickory, Spruce Elm, Ash, Walnut, Sugar Aspen Crab. Apple Hardwood brakes &c

East	On Random between sec. 9 & 16
13.63	Leave field,
40.00	Enter a marsh
57.00	Leave the marsh & Ent. sec. 2 & 10
80.12	To the E. line of sec. 7 the S. of post, Land W. dry prairie 2 nd rate & the E. is part marsh & the Rem. is scattered timber 2 nd rate W. Oak, Spr & Hickory & Hazel & Red root mud, etc,

West	Correct the line between sec. 9 & 16
40.00	Set the gr. sec. cor. post & Raise mound
80.12	To the sections corner,

North	Between sections 8 & 9
7.07	Leave the field,
38.50	Enter a marsh & pond, (water
40.00	Set the gr. sec. cor. post in pond of deep.
50.50	Leave marsh & ascend hill 15 ft. high,

38.5

T. 36 N. R. 2 W. 2nd, New. Ind.6. 6.
79.77

To the E. line of sec. 13 then S. of post,
Land W $\frac{1}{2}$ 13 ch. timber the other
prairie level sandy. 2nd rate & the
timber is' G. Oak. W. Oak. Red root &
E $\frac{1}{2}$ prairie, level sec. rate Red root & some
willow & aspen sprouts some B. Oak &

West

Correct the line between sec. 29 & 32,
39.88 $\frac{1}{2}$ Set the gr. sec. cor. post from which
a B. Oak 7 in. dia. bears S 89 E 149 th. dia.
& a Do. 8 " " " " S 13 W 95 " "

71.80 To a Hickory 20 in. dia. in the line,
79.77 To the sections corner,

West

On Random between sections 30 & 31
2.00 Enter a mark

20.65 To a Branch 20 th. wide en. S. trisk

30.70 Leave mark & Enter timber

40.00 Set the gr. sec. cor. post from wh

94.00 To the W. boundary, & Mich. W. Land,
15 th. N. of post,

23 note - I had thought it advisable to run
up this Range line on the line of creek &
road lands & establish 1/2 mile & sec. cor.
posts. - to sec. 18. (notes transmitted)
Land on E $\frac{1}{2}$ 20 ch. not very wet & alluvial
G. Oak bayans 3rd rate. W. H. level & 2nd rate
Oak Hickory & brakes & Red root &

East

Correct between sec. 30 & 31. / 188 $\frac{1}{2}$ 25 $\frac{1}{2}$)

26.95 To a B. Oak 4 in. dia. in the line,

36.52 " a Do. 10 " " " " " "

54.00 Set gr. sec. cor. post S 70 W. 12 S 20 W 17 th.

94.00 To sec. corner. Do. - N 31 E 31.

T. 36 N. R. 2 W. 2nd New, Ind.

6. L.
North Between sections 29 & 30;
2.50 Leave the timber & Enter a marsh
40.00 Set the gr. sec. cor. post & Main mound
44.00 To a branch 18 M. wide in S.W. brush pine
80.00 Set a post cor. to sec. 19, 20, 29 & 30 from which
a B. Oak 9 in. dia. bears N 81 W 91 M. dist. &
no other tree near,
Land is all marsh & 2nd rate,

East On Random between sections 20 & 29
7.85 To a branch 15 M. wide in S.
9.75 Leave the marsh & Enter timber
50.00 Leave the timber & Enter prairie
80.00 To the E. line of sec. 3 M. S. of post,
Land on W. 1/2 part marsh part timbered
Y. B. Oak red root & brakes E 1/2 prairie
B. Oak. scattering & scattered,

West Correct the line between sec. 20 & 29
40.00 Set the gr. sec. cor. post from which
a B. Oak 5 in. dia. bears S 56 E 34 1/2 M. dist.
& a Do. 9 " " " N 74 W 102 " "
49.83 To a B. Oak 10 " " in the line,
80.00 To the section corner,

West On Random between sections 19 & 30
.85 Leave the marsh & Enter timber
40.00 Leave timber & Enter prairie
69.55 Enter a field
90.16 Leave the Do.
90.60 To the W. boundary 21 M. N. of post,
Land on E 1/2 level & 2nd rate & the
timber is B. Oak, Y. Oak Hazel & brakes
W. 1/2 dry prairie 1st rate Hazel brakes &c,

T. 36 N. R. 2 W. 2^d. Nov. Ind^a

6. L ^e East	Correct the line between sec. 19 & 30
40.00	Set the gr. sur. cor. post from which a B. Oak 4 in. dia. bears S 44° W 81 th. dist 4, & a Do. 8 " " " N 81° E 185 " "
79.61	To a Hickory 15 in. dia. in the line,
90.60	To the sections corner, May 28 th 1834,
North	Between sections 19 & 20,
40.00	Set the gr. sur. cor. post & <u>raise a mound</u>
56.50	Leave marsh & Enter timber
74.42	To a Hickory 12 in. dia. in the line,
80.00	Set a post cor. to sec. 19 & 20 from wh. a Hickory 8 in. dia. bears S 37½° E 50 th. dist, & a B. Oak 4 " " " N 43° W 150 " "
	Land on S. ½ is all marsh & on N. ½ part marsh. & part Oak & Hickory bearing 3 ^d rate,
East	On Random between sec. 19 & 20,
22.00	Enter a marsh
28.25	To a branch 9 th. wide in S. creek, from water
29.00	Leave marsh for B. Oak bearing
43.00	To Olds lake Offset S. 12 chs E. 32
73.00	Over lake " N 12 "
80.16	To the E. line of sec. 22 th. S. of post Land W ½ part, marsh & the timber,
West	Correct the line between sec. 19 & 20
7.16	To Lake & set post on E side
37.16	Leave Do. & set do. on W do.
40.08	Set the gr. sur. cor. post from which a Hickory 6 in. dia. bears S 72° E 99 th. dist & a Do. 10 " " " " N 46° W 110 " "
80.16	To the sections corner,

T. 36 N. R. 2 W. 2nd Mer, Ind^a,C. L.
West

Between sections 18 & 19

7.86 To the E. boundary of sec. 18. N. R. Land, 33¹/₂ M.,
et. of post —

N 88.40 W - Between sec. 18 & 19 on Mich. Road Land

40.00 Set g. res. cor. post for sec. 18 N. R. L.,
a B. Oak 3 in. diam. bears N 51 E 36 M. dist.,
& a Do. 6 " " " S 23 E 50 " "

48.34 To g. res. cor. post of sec. 18. N. R. L.,

45.00 Leave timber & Enter a marsh

59.50 Leave the Marsh & Enter dry prairie,

88.96 To the E. line of Mich. Road Land cor.
of sec. 18 & 19. Land on E. is a
little rolling & 2nd rate & the timber is
B. Oak & Hickory scattering short W. F. little
marsh, dry prairie & first rate, &

N 70 E Between sections 17 & 18 N. R. Land

40.00 Set a post for 1/4 sec. cor. & Rain mound

40.20 To 1/4 sec. cor. post of N. R. Land

65.00 Leave the ~~marsh~~ ^{honey} & Enter marsh

72.00 Leave the marsh & Enter, set g. timber,

80.00 Set post & Rain a mound Land. It
is level & 2nd rate & the timber is B. Oak
set g. female. It is same, marsh scattering,
& the timber is Hickory, Oak, Willow, Red Oak, &

East On Random between sec. 8 & 17

25. To a Brook 4 M. wide cor. S. E. from water

14.00 Leave the marsh & Enter timber

27.00 Leave timber & Enter a marsh

39.10 To a Brook 5 M. wide cor. S. W.,

49.00 Leave the marsh & Enter dry prairie

87.81 To the E. line of sec. 11 M. et. of post,

T. 36 N. R. 2 W, 2nd Mer. Ind.^a

C. L.	
Met	Correct the line between sec. 8 & 17
2.12	Leave the field
38.75	To water marsh
40.00	Set the gr. sec. cor. post in marsh a scrub Oak 4 in. dia. heavy No 2 & 175 lbs. dia. & no other near,
48.36	To a Brook 5 lbs. wide cor. SW,
60.00	Leave the marsh & Enter timber
70.70	To a Hickory 15 in. dia. in the line
74.50	Leave the timber & Enter a marsh
87.45	To a Brook 4 lbs. wide cor. S. E.
89.75	To the section corner, Land E & prairie & sec? rate red root & willow. W. H. mostly marsh some Hick. Red -root & c. & 3 rd rate land, at that,

N. 6	Between sec. 7 & 8, on line of M. R. L.
75	To post cor. sec. 7 & 18 Michigan Road lands,
2.00	Leave marsh & Enter timber,
5.00	Leave timber & a marsh
18.00	Leave the marsh & Enter timber,
35.00	Leave timber & Enter marsh
40.00	Set the gr. sec. cor. post & leave marsh =
40.76	To M. R. L. gr. cor. & Enter prairie (= B. Oak 3 & 26 & 60 lbs.
81.25	To sec. corner of sec. 7 & 8 line of M. R. Lands Land 2 nd some marsh, some timber - some marsh & some timber & some marsh & 3 rd rate at that N & prairie level & 2 nd rate Hazel Red and hick,

187 ¹ / ₂ E	On Random between sec. 5 & 8 M. R. L.
28.00	To Marsh inipapible offset S. 13.50 lbs., " E 25.00 "
53.00	To Line, " N. 13.50 "
86.75	" post cor. sec. 8 & 9 no corner found

T. 36 N. R. 2 W. 2nd Mer. Ind. a,

61.50	Correct the line between sec. 8 & 5 -
187.50	no corner found. for black. road land
10.50	Enter field
28.50	Leave the Do,
31.50	Leave prairie & Enter grove.
37.50	To mark of pond in prairie (no 1/4 sec. cor.)
59.50	Over the marsh
86.75	To the section corner,
	Land 6 1/2 prairie small grove of thick timber a small corner in pond 1 st rate & the timber is Hickory, B. Oak. Cherry ash & S. Oak in grove. W. H. some marsh & pond & part, same grove & 2 nd rate & the timber is similar to the other. May 29 th 1884

Meadows of Stillwell's Lake in sec. 21 & 28
Begin at post on line between sec. 21 & 28

Course	Co. Le.	Remarks,
S 29 E	6.50	To E. side of lake in sec 28
S 7 1/2 E	15.25	" line between sec. 27 & 28
S 67 W	15.50	Sec. sec. 27
N 43 W	12.00	
S 45 W	14.00	
N 35 W	20.00	
N 13 E	9.50	
S 77 E	8.50	
N 14 W	3.34	To line between sec. 21 & 28,
N 14 W	10.00	In sec. 21
N 71 E	9.00	
S 60 E	12.50	
S 7 1/2 E	5.85	To post between sec. 21 & 28,
N 88 1/2 E	11.48	on sec. line to beginning)

T. 36 N. R. 2 W. 2nd Mer. Ind.

Comm	to L.	Meanders of Olds' Lake
		in sec. 17 & 20. Begin at post on line of sec. 17 & 20 on the E side of Lake in sec. 20
N 11 W	10.00	
N 77 W	9.50	
S 54 W	9.00	
N 27 W	12.50	
S 67 W	5.00	
N 43 W	4.69	To post between sec. 17 & 20.
N 67 W	8.00	In sec. 17
N 19 E	15.00	
N 68 E	14.00	
N 43 E	7.50	
S 87 E	10.00	no inlet nor outlet,
S 5 E	7.00	
S 14 E	5.00	Shallow pure water
S 94 E	15.00	To place of beginning
		Meanders of Big Lost Lake in sec. 2 & 11
		Begin at post between sec. 2 & 11 W. side
N 56 E	2.50	In sec. 2
N 47 1/2 E	2.41	Between sec. 2 & 11. to post
N 47 1/2 E	4.00	In sec. 11
S 87 E	6.50	
S 23 E	13.50	
N 47 W	10.50	
N 86 W	6.00	
N 48 W	10.00	
S 67 W	4.00	
N 23 W	10.00	
N 35 W	8.00	
N 25 E	7.00	

Corner C. L.

N 82 E 9.50

N 8 W 6.00

N 44 E 9.25

Meander continued,

in run 11

(w N 44 E) To place of beginning
shallow water & ash marks
under water 1 May 30th

This township contains in the aggregate about an equal portion of 1st, 2^d & 3^d rate land. Soil generally sandy loam; in the S. E. part considerable marsh other parts a little rolling. Springs are scarce. Meanders & lakes plenty water generally pure; a general scarcity of timber prevailing, owing in part to natural causes & in part to the great destruction made by squatters cutting & hauling off the timber to improve elsewhere. —

7

I hereby certify that in pursuance of a contract with M. T. Williams, Sur.^r Genl. of the M. S. for the states of Ohio Indiana & Terr. of Michigan; dated 19 May 1834 & in strict conformity to the laws of the M. States & the instructions of said Sur. Genl. I have surveyed & subdivided into sections Township 36 North Range 2 W. 2^d Mer. Indiana; & I do further certify that the foregoing are the true & original notes of the said survey & subdivision Executed as aforesaid. & Certified this 30th May 1834 William Clark, Dep. Sur, Nehemiah Chasman, Chain-man,

T. 36 N. R. 2 W. 2nd. Mer. Ind^a

John Wood, Chairman
William Jones, Member,

I certify that the foregoing transcript
of field notes of Township 36 North
of Range 2 West of 2nd. Mer. Indiana
has been compared with the original
in this office. I found to be correct,

E. P. Hain

Surv. Genl.

Surveyor General's office,
Cincinnati. March 31st 1842.